Printing date 11/03/2015

Reviewed on 11/03/2015

Printing date 11/03/2015	Reviewed on 11/03/2015
1 Identification	
· Product identifier	
• Trade name: White Fused Aluminum Oxide (Alodur White A/O.727.728	<u> 8. 729. 730)</u>
 Article number: No other identifiers CAS Number: 1344-28-1 	
 Recommended use and restriction on use Recommended use: Abrasives Restrictions on use: Contact manufacturer. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Epoxy Systems, Inc. 20774 W Pennsylvania Ave Dunnellon, FL 34431 (352) 489-1666 	
• Emergency telephone number: PERS (800) 633-8253, International +1 (801) 629-0667	
2 Hazard(s) identification	
 Classification of the substance or mixture The substance is not classified as hazardous according to the Globally Hard Additional information: Not hazardous as delivered. Long term inhalation of product dusts formed of There are no other hazards not otherwise classified that have been identified 0 percent of the mixture consists of ingredient(s) of unknown toxicity. 	during use is harmful.
 Label elements GHS label elements The product is not classified as hazardous according to OSHA GHS regulate Hazard pictograms Not Regulated Signal word Not Regulated 	tions within the United States.
 Hazard-determining components of labeling: None. Hazard statements Not Regulated Precautionary statements Not Regulated Hazard description: WHMIS-symbols: Not hazardous under WHMIS. Classification system: NFPA ratings (scale 0 - 4) 	
Health = 0 Fire = 0	
Reactivity = 0	(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/03/2015

Reviewed on 11/03/2015

Trade name: White Fused Aluminum Oxide (Alodur White A/0.727.728.729.730) (Contd. of page 1) · HMIS-ratings (scale 0 - 4) HEALTH I Health = 0 FIRE • Fire = 0 REACTIVITY O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · **vPvB:** Not applicable. **3** Composition/information on ingredients · Chemical characterization: Substances · CAS No. Description 1344-28-1 aluminium oxide **4 First-aid measures** · Description of first aid measures · General information: No special measures required. · After inhalation: Respiration of particulates is unlikely during normal usage. Supply fresh air; consult doctor in case of complaints. · After skin contact: Brush off loose particles from skin. Clean with water and soap. If skin irritation is experienced, consult a doctor. · After eye contact: Immediately remove contact lenses if possible. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. · Information for doctor: · Most important symptoms and effects, both acute and delayed Coughing Gastric or intestinal disorders **Breathing difficulty** · Danger Danger of impaired breathing. · Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures · Extinguishing media • Suitable extinguishing agents: Use fire fighting measures that suit the environment. (Contd. on page 3)

Printing date 11/03/2015	Reviewed on 11/03/2015
Trade name: White Fused Aluminum Oxide (Alodur White A/O.727.728.729.7	
Trade name. White Fused Aluminum Oxide (Alodur White A/O./27.726.729.7	Contd. of page 2)
 For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture No further relevant i Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. 	information available.
6 Accidental release measures	=
 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. For large spills, wear protective clothing. Avoid formation of dust. Ensure adequate ventilation. Environmental precautions: No special measures required. Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
7 Handling and storage	
 Handling: Precautions for safe handling Prevent formation of dust. Any deposit of dust which cannot be avoided must be regularly removed. Use only in well ventilated areas. Avoid breathing dust. Do not dry clean dust covered objects and floors. W ash thoroughly with plenty of the information about protection against explosions and fires: No special means 	
 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special require Information about storage in one common storage facility: Store away from oxidizing agents. Store away from foodstuffs. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area. Protect from humidity and water. This product is hygroscopic. 	ements. (Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/03/2015

Reviewed on 11/03/2015

Trade name: White Fused Aluminum Oxide (Alodur White A/O.727.728.729.730)

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Control parame	
 Components w 	ith limit values that require monitoring at the workplace:
1344-28-1 alum	inium oxide
PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1.0 mg/m ³ respirable, as Al
EV (Canada)	Long-term value: 10 mg/m ³ total dust
LMPE (Mexico)	Long-term value: 1* mg/m ³ A4, *fracciòn respirable
· Additional info	rmation: The lists that were valid during the creation were used as basis.
General protect The usual preca Keep away from	rols ctive equipment: tive and hygienic measures: nutionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. fore breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- Do not inhale dust / smoke / mist.
- Engineering controls: No further relevant information available.
- · Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

Protection of hands:

Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules. Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Eye protection:



Safety glasses

(Contd. on page 5)

Reviewed on 11/03/2015

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Trade name: White Fused Aluminum Oxide (Alodur White A/O.727.728.729.730)

Printing date 11/03/2015

Limitation and supervision of expo Risk management measures No sp	osure into the environment No special requirement ecial requirements.	S.
9 Physical and chemical prope	•	
Information on basic physical and General Information	chemical properties	
· Appearance: Form: Color:	Granulate Light brown Dark brown	
· Odor: · Odor threshold:	Odorless Not determined.	
· pH-value:	Slightly alkaline	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	2050 °C (3722 °F) Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	3.95 g/cm³ (32.963 lbs/gal) Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with Water: 	Insoluble.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.	

Printing date 11/03/2015

Reviewed on 11/03/2015

Trade name: White Fused Alu	minum Oxide (Alodur White A/O.727. 728. 729. 730)	
		(Contd. of page 5)
Other information	No further relevant information available.	
10 Stability and reactivity	у	
· Reactivity		
· Chemical stability		
Thermal decomposition /		
	nd stored according to specifications.	
Possibility of hazardous re	eactions	
Reacts with strong acids. Reacts with oxidizing agents	s	
Reacts with strong alkali.	3.	
	rther relevant information available.	
	o further relevant information available.	
Hazardous decomposition	n products: Toxic metal oxide smoke	
11 Toxicological informa	ation	
Information on toxicologie	cal effects	
• Acute toxicity:	elevant for classification: None.	
Primary irritant effect:	elevant for classification. None.	
• on the skin: No irritant effe	ct.	
• on the eye: Slight irritant ef		
Sensitization: No sensitizir		
Additional toxicological in	normation:	
Carcinogenic categories		
• NTP (National Toxicology	Program)	
Substance is not listed.		
· OSHA-Ca (Occupational S	afety & Health Administration)	
Substance is not listed.		
Probable Routes of Expos	sure	
Ingestion.		
Inhalation. Eye contact.		
Skin contact.		
Acute effects (acute toxici	ity, irritation and corrosivity): From product as supplied: None.	
• Repeated Dose Toxicity:		
Repeated or long-term inha	lation of product dusts may cause pulmonary disease.	
12 Ecological informatio	n	
• Toxicity • Aquatic toxicity: Generally	not bazardous for water	
Aquatic toxicity. Generally		Contd. on page 7)

Printing date 11/03/2015	Reviewed on 11/03/2015
Trade name: White Fused Aluminum Oxide (A	lodur White A/0.727.728.729.730)
	(Contd. of page 6)
 Persistence and degradability Inorganic product, is not eliminable from wate Behavior in environmental systems: Bioaccumulative potential Does not accum Mobility in soil No further relevant informati Other adverse effects No further relevant in 	on available.
13 Disposal considerations	
compliance with all relevant local, state and	nation. lity to dispose of unused material, residues and containers in federal laws and regulations regarding treatment, storage and astes. Residual materials should be treated as hazardous.
14 Transport information	
 · UN-Number · DOT, ADR, ADN, IMDG, IATA · UN proper shipping name 	Not Regulated
· DOT, ADR, ADN, IMDG, IATA · Transport hazard class(es)	Not Regulated
 DOT, ADR, ADN, IMDG, IATA Class Booking group 	Not Regulated
 Packing group DOT, ADR, IMDG, IATA Environmental hazards: 	Not Regulated
• Marine pollutant:	No
 Special precautions for user Transport in bulk according to Annex II of 	Not applicable.
MARPOL73/78 and the IBC Code · UN "Model Regulation":	Not applicable.
	(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/03/2015

Reviewed on 11/03/2015

Trade name: White Fused Aluminum Oxide (Alodur White A/O.727.728.729.730)

(Contd. of page 7)

Safety, health and environmental regulations/legislation specific for the s United States (USA) SARA	ubstance or mixture
Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
TSCA (Toxic Substances Control Act):	
Substance is listed.	
Proposition 65 (California) Chemicals known to cause cancer: Present in trace quantities.	
13463-67-7 titanium dioxide	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
Carcinogenic categories EPA (Environmental Protection Agency)	
Substance is not listed.	
IARC (International Agency for Research on Cancer)	
Substance is not listed.	
TLV (Threshold Limit Value established by ACGIH)	
1344-28-1 aluminium oxide	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
State Right to Know Listings	
Substance is not listed.	
Canadian substance listings: Canadian Domestic Substances List (DSL)	
Substance is listed.	
Canadian Ingredient Disclosure list (limit 0.1%) Substance is not listed.	
Canadian Ingredient Disclosure list (limit 1%) Substance is listed.	

Printing date 11/03/2015 Reviewed on 11/03/2015 Trade name: White Fused Aluminum Oxide (Alodur White A/0,727, 728, 729, 730) (Contd. of page 8) · Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Date of preparation / last revision 04/30/2015 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent